



GLADIATOR

sh2 SUPERSWEET YELLOW



Gladiator: is a main season supersweet yellow processing variety, with good yield and sound disease tolerance. Large cob.

- **Field Performance:** Main season. High vigor. High yield of uniform, well tip filled ears on a strong plant. Good disease resistance. Wide harvest window.
- **Processing Performance;** Suitable for freezing and canning, is girthy for whole cob or cobbett. Medium colour with very deep petite kernels. Good dark green flag leaf and husk color. Ears can get very big under good conditions.
- **Management Points:** High yields on a strong plant. Good stalk strength. Wide harvest window. Can develop a long shank and cob will hang out from the plant.
- **Maturity Slot:** Plant throughout the season. Widely adaptable.

Plant Characteristics								Disease Resistance								Herbicide Tolerance				
Supersweet Yellow (sh2)	Days to Relative Maturity	Cob Length (cm)	Cob Length (inches)	Cob Width (cm)	Cob Width (inches)	Row Number	Plant Height (Low, Medium, Tall)	Cob Height (Low, Medium, Tall)	Rust Common (Ps) avir(+D)	Rust Common (Ps) D-vir	Rust Common (Ps) G-vir(+D)	Rust Common (Ps)	Northern Corn Leaf Blight = NCLB (E)	Stewarts Wilt (Psi)	Maize Dwarf Mosaic Virus (MDMV)	Southern Leaf Blight	Gosses Wilt	Reaction to Callisto (mesotrione)	Reaction to Accent (nicosulphuron)	Reaction to Laudis (tembotrione)
Gladiator	87	21	8.6	5.5	2.2	18	T	M	HR	HR	IR	HR	HR	SU	IR	*	Tol	Tol	*	
Lancaster	85	21	8.6	5.2	2.1	18	M	M	HR	IR	IR	IR	IR	SU	IR	*	Tol	Tol	*	
Spaceship	86	19	7.8	5	2.0	20	M	M	IR	IR	HR	HR	IR	SU	IR	IR	Tol	Tol	Tol	
Goldensweet Imp.	85	19	7.8	5.1	2.1	18	M	M	HR	HR	IR	IR	SU	SU	IR	HR	Tol	Tol	*	

For full variety data comparisons and complete disease information refer to the Sweetcorn Variety Data Sheet

HR: High/Standard Resistance IR: Moderate/ Intermediate Resistance SU: Susceptibility * means we have insufficient data

Contact your distributor for more information. Not all varieties are available in all countries

The information contained herein is intended as a guide only. Data is based on averages collected from around the world and are indicative only. Varieties should always be trialed in the area they are proposed to be grown. Varietal performance is influenced by many variables, including soil and climatic conditions, cultural and management practices. No liability will be accepted by HSR Seeds or its representatives for the accuracy of this information.



HSR Seeds Pty Ltd
 Head Office: Wondai Queensland Australia Ph:+61 7 4169 0011
 Southern Office: Orbost Victoria Australia Ph:+61 3 51541878
www.hsrseeds.com.au

